



Companion in Hygiene Solutions

SAFETY DATA SHEET
according to Regulation (EU) 2015/830

11A Premium Laundry Detergent

Revision: 1
Revision date: 06/05/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name 11A Premium Laundry Detergent

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Company Address Ionic Products Ltd
Blaris Industrial Estate, Altona Road, Lisburn, Co Antrim
BT27 5QB
United Kingdom
Web www.ionicproductsltd.com
Telephone 028 9267 3331
Email: Info@ionicproductsltd.com

1.4 Emergency telephone number

Emergency telephone number 028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept.
Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9
Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)
Tel: 01 809 2566 (health care professionals)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC 1272/2008 Not classified as hazardous

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Sodium carbonate	011-005-00-2	497-19-8	207-838-8	01-2119485498-19	1-10%	Eye Irrit. 2: H319
Sodium alkylbenzenesulphonate		90194-45-9	290-656-6	01-2119490234-40	1-10%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318;
Alcohols, C12-14, ethoxylated, sulphates, sodium salts		68891-38-3		01-2219488639-16	1-10%	Eye Irrit. 2: H319;
Ethanol	603-002-00-5	64-17-5	200-578-6	01-2119457610-43	1-10%	Flam. Liq. 2: H225;
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)		68002-97-1			1-10%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
Mono propylene glycol (Propane-1,2-diol total vapour and particulates)		57-55-6	200-338-0	01-2119456809-23	1-10%	

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so.
Eye contact	Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash with water. Seek medical attention if irritation or symptoms persist.

Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
-----------	---

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	No irritation expected.
Skin contact	No irritation expected.
Ingestion	Unlikely to be harmful unless excessive amount ingested.

4.3 Indication of any immediate medical attention and special treatment needed

	No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.
--	--

SECTION 5: Firefighting measures

5.1 Extinguishing media

	Carbon dioxide (CO ₂). Water jet. For large fires: Alcohol resistant foam. Water jet.
--	---

5.2 Special hazards arising from the substance or mixture

	No special hazards known.
--	---------------------------

5.3 Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

	Not normally required.
--	------------------------

6.2 Environmental precautions

	Do not allow product to enter drains. Dilute with water.
--	--

6.3 Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

6.4 Reference to other sections

	For personal protective equipment see subsection 8.2. For disposal considerations see section 13.
--	---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.
--	--

7.2 Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.
--	---

7.3 Specific end use(s)

	No specific advice for end use available.
--	---

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Exposure Limit Values - UK

Ethanol	WEL 8-hr limit ppm	1000	WEL 8-hr limit mg/m ³	1920
	WEL 15 min limit ppm	-	WEL 15 min limit mg/m ³ :	-
	WEL 8-hr limit mg/m ³ total inhalable dust:	-	WEL 15 min limit mg/m ³ total inhalable dust:	-
	WEL 8-hr limit mg/m ³ total respirable dust	-	WEL 15 min limit mg/m ³ total respirable dust:	-
Mono propylene glycol (Propane-1,2-diol total vapour and particulates)	Particulates: WEL 8-hr limit mg/m ³	10		
	Particulates: WEL 8-hr limit ppm:	10		
	Vapour & Particulates: WEL 8-hr limit mg/m ³ :	474		

8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland

Ethanol	Occupational Exposure Limit Value (8-hour reference period)	-
	Occupational Exposure Limit Value (15-minute reference period)	1000 ppm

Mono propylene glycol (Propane-1,2-diol total vapour and particulates)	Occupational Exposure Limit Value (8-hour reference period)	150 ppm (total) 470 mg/m ³ (total) 10 mg/m ³ (vapour & particulates)
	Occupational Exposure Limit Value (15-minute reference period)	

DNEL: Derived no-effect level.


Exposure Pattern - Workers

Sodium carbonate	Acute inhalation - Local effects	10 mg/kg
Ethanol	Acute inhalation - Local effects	1900 mg/m ³
	Long-term - inhalation - Systemic effects	950 mg/m ³
	Long-term - dermal - Systemic effects	343 mg/kg
Mono propylene glycol (Propane-1,2-diol total vapour and particulates)	Long-term - systemic effects, Inhalation	168 mg/m ³
	Long-term - local effects, Inhalation	10 mg/m ³

Exposure Pattern - General population

Sodium carbonate	Acute inhalation - Local effects	10 mg/kg
Ethanol	Acute inhalation - Local effects	950 mg/m ³
	Long-term - inhalation - Systemic effects	114 mg/m ³
	Long-term - oral - Systemic effects	87 mg/kg
	Long-term - dermal - Systemic effects	206 mg/kg
Mono propylene glycol (Propane-1,2-diol total vapour and particulates)	Long-term - systemic effects, Skin contact	213 mg/kg bw/day
	Long-term - systemic effects, Inhalation	50 mg/m ³
	Long-term - systemic effects, Ingestion	85 mg/kg bw/day
	Long-term - local effects, Inhalation	10 mg/m ³

8.2 Exposure controls

8.2.1 Appropriate engineering controls 8.2.2 Individual protection measures Eye / face protection Skin protection - Hand protection Respiratory protection	
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Wash hands after handling the product.
	Ensure adequate ventilation of the working area.
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
	Not normally required. In case of splashing, wear: Safety glasses. (EN166)
	Wash hands after handling the product. For prolonged contact protection for the skin may be necessary. (EN374)
Not normally required. Do not breathe gas/fumes/vapour/spray.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour	White

Odour	Characteristic
pH	8.5-10.5
Melting point	Not determined
Freezing Point	Not determined
Initial boiling point	Not determined
Flash point	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not applicable to liquids
Fat Solubility	Not determined
Partition coefficient	Not determined
Autoignition temperature	Not determined
Viscosity	250 cp @20°C
Explosive properties	Not explosive
Oxidising properties	Not oxidising
Solubility	Soluble in water
Vapour pressure	Not determined

9.2 Other information

Conductivity	Not determined
Surface tension	Not determined
Specific gravity	1.05 g/cm ³

SECTION 10: Stability and reactivity

10.1 Reactivity

	No reactivity hazards known under normal storage and use conditions.
--	--

10.2 Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3 Possibility of hazardous reactions

	No other adverse effects known.
--	---------------------------------

10.4 Conditions to avoid

	None.
--	-------

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation	No irritation expected.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No observed effect level.

11.1.4 Toxicological Information

Sodium carbonate	Inhalation Rat LC50/15min: NDA Oral Rat LD50: 2800 mg/kg Dermal Rabbit LD50: >2000mg/kg	Dermal Rat LD50: NDA Oral Mouse LD50 NDA Dermal Guinea Pig LD50: NDA
Sodium alkylbenzenesulphonate	Inhalation Rat LC50/15min: NDA Oral Rat LD50: >2000 mg/kg Dermal Rabbit LD50: NDA	Dermal Rat LD50: NDA Oral Mouse LD50 NDA Dermal Guinea Pig LD50: NDA
Alcohols, C12-14, ethoxylated, sulphates, sodium salts	Inhalation Rat LC50/15min: NDA Oral Rat LD50: 4100 mg/kg Dermal Rabbit LD50: NDA	Dermal Rat LD50: >2000 mg/kg Oral Mouse LD50 NDA Dermal Guinea Pig LD50: NDA
	Dermal Rat LD50: NDA Oral Mouse LD50: 3450 mg/kg	Oral Rat LD50: 7060 mg/kg Inhalation Mouse LC50/4 h: 39g /m ³

Ethanol	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)	Inhalation Rat LC50/15min: NDA Oral Rat LD50: 100 mg/kg Dermal Rabbit LD50: 2,000 mg/kg	Dermal Rat LD50 NDA Oral Mouse LD50: NDA Dermal Guinea Pig LD50 NDA
Mono propylene glycol (Propane-1,2-diol total vapour and particulates)	LD50 oral rat 22000 mg/kg Inhalation Rabbit; 2 h; > 317042 mg/l (dust/mist) Dermal Rabbit LD50: > 2000 mg/kg	

SECTION 12: Ecological information

12.1 Toxicity

Sodium carbonate	Algae EC50/72h: NDA Fish LC50/96h: 300 mg/l Daphnia LC50/48h: 227 mg/l
Sodium alkylbenzenesulphonate	Algae IC50/72h: NDA Fish LC50/96h: NDA Daphnia EC50/48h: NDA
Alcohols, C12-14, ethoxylated, sulphates, sodium salts	Daphnia EC50/48h: 7.2 mg/l Green algae EC50/96h: 7.5mg/l Fish LC50/96h: 7.1 mg/l
Ethanol	Fish LC50/96h: 12900 mg/l Daphnia LC50/48h: NDA Algae EC50/72h: NDA
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)	Daphnia EC50/48h: NDA Fish LC50/96h: NDA Algae IC50/72h: NDA
Mono propylene glycol (Propane-1,2-diol total vapour and particulates)	Daphnia EC50/48h: 43500 mg/l Fish LC50/96: 40613 mg/l Algae LC50/72h: NDA

12.2 Persistence and degradability

No data is available on this product.

12.3 Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

Partition coefficient

	No data is available on this product.
--	---------------------------------------

12.4 Mobility in soil

	No data is available on this product.
--	---------------------------------------

12.5 Results of PBT and vPvB assessment

	Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.
--	---

12.6 Other adverse effects

	No other adverse effects known.
--	---------------------------------

SECTION 13: Disposal considerations**General information**

	Dispose of in compliance with all local and national regulations.
--	---

Disposal of packaging

	Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water.
--	--

Further information

	European Waste Catalogue:.. 20 01 30 detergents other than those mentioned in 20 01 29.
--	---

SECTION 14: Transport information**14.1 UN number**

	The product is not classified as dangerous for carriage.
--	--

14.2 UN proper shipping name

	The product is not classified as dangerous for carriage.
--	--

14.3 Transport hazard class(es)

ADR/RID	The product is not classified as dangerous for carriage.
Subsidiary risk	-
IMDG	The product is not classified as dangerous for carriage.
Subsidiary risk	-
IATA	The product is not classified as dangerous for carriage.
Subsidiary risk	-

14.4 Packing group

Packing group	The product is not classified as dangerous for carriage.
----------------------	--

14.5 Environmental hazards

Environmental hazards	No
Marine pollutant	No

ADR/RID

Hazard ID	-
Tunnel Category	-

IMDG

EmS Code	-
-----------------	---

IATA

Packing Instruction (Cargo)	-
Maximum quantity	-
Packing Instruction (Passenger)	-
Maximum quantity	-

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

	<p>EU regulations:</p> <ul style="list-style-type: none"> • Regulation(EC)No.1907/2006 - REACH • Regulation(EC)No1272/2008 - CLP • Regulation(EC)No.648/2004 - Detergents regulation <p>Ingredients according to EC Detergents Regulation 648/2004 Less than 5%: Anionic Surfactants, Non ionic surfactants, Phosphonates, Soap Other ingredients: Perfume, Preservatives</p>
--	--

15.2 Chemical safety assessment

	A chemical safety assessment has not been carried out on the mixture.
--	---

SECTION 16: Other information**Other information**

Revision	This document differs from the previous version in the following areas:.
-----------------	--

Acronyms	<p>Changes to sections 1, 3, 8, 9, 11, 12, 15</p> <p>LC: Lethal concentration. LD: Lethal dose. NDA - No data available. NOAEC: No observed adverse effect concentration. NOAEL: No observed adverse effect level. NOEC: No observed effect concentration. NOEL: No observed effect level. PBT: Persistent, bioaccumulative and toxic. SVHC. Substance of very high concern. vPvB. Very persistent and very bioaccumulative. *R01 - Polymer REACH number not available.</p>
Text of Hazard Statements in Section 3	<p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Acute 1: H400 - Very toxic to aquatic life.</p>

Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p> <p>Internal ref: F000092</p>
--	--